MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CECTION 1 CITEMI	O/ (E 1 (O E				10,0	• •	
azardous Ingredients (specific) VOOD SEALER AND FINISH WHMIS Classification: MINIMAL							
Product Use: Floor Finish	71 11413.1					WHIVIIO Classificati	IOII. IVIII VIIVI/ \L
Manufacturer's Name: ULTRA CHEM USA INC.				Supplies Name			
Street Address:							
City:	SSION BOULEVARD Province:/ State			Street Address			
POMONA	CA			City			Province
Zip Code: 91766	Emergency Telephor 1-800-535-5			Postal Code Emergency Telep		Emergency Teleph	one
Date MSDS Prepared: MAY 2010		MSDS Prepared by:	ULTRA CH	EM USA II	NC.	Phone Number: 909-620-0949	
SECTION 2 - COMPO	OSITION / I	NFORMATI	ON ON I	NGREDI	ENTS		
Hazardous Ingredients (specific)		%	CAS Number			ngredient ies and route)	LC ₅₀ of Ingredient (specify species)
1-methyl 2-Pyrrolidinon Pyrrolidone	e; N-Methyl	3.6	872	872-50-4 42500 mg		kg (oral, rat)	N/AV
N,N-dimethylethand	olamine	0.7	108	-01-0	2g/kg (oral, rat)	1641 ppm /4H Inhalation (rat)
Glycol Ether D	PM	0.5	3459	0-94-8	5.35 g/k	g oral rat	N/AV
SECTION 3 - HAZAR	RDS IDENT	IFICATION					
Route of Entry Skin Co	ntact S k	in Absorption	f Eve	Contact	⊓ inhalat	ion =	Ingestion
[Emergency Overview]							J
[WHMIS Symbols]	(T)						
[Potential Health Effects]							
prolonged or repeated exp	oosure can ca	use skin drying	g.				
SECTION 4 - FIRST AID MEASURES							
Skin Contact Wash with soap and water. If irritation persists seek medical attention							
Eye Contact Flush with copious amounts of potable water. Seek medical attention immediately.							
Inhalation							
Ingestion				_			
Drink 3-4 glasses of MILK	or WATER. N	NO NOT INDU	CE vomitin	g. Seek M	edical Attenti	on	

Means of Editation	Troduct Idontillor WOOD OE/IE	AND FINISH	Page 2/4			
Department Dep	SECTION 5 - FIRE FIGHTIN	NG MEASURES				
As for surrounding Fire. Normal Fire - Fighting Procedures As for surrounding Fire. Normal Fire - Fighting Procedures None N/AP N/AP N/AP N/AP N/AP N/AP NOR Responsible Limit (% by volume) N/AP NOR NOR NOR NOR NOR SECTION 6 - ACCIDENTAL RELEASE MEASURES Leak end Spill Procedures Large spill: dike with absorbent, collect in drum, then dispose. Rinse with water and let dry. SECTION 7 - HANDLING AND STORAGE Response Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION SPONSE SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION SPONSE Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION SPONSE Regularements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION SPONSE Regularements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION SPONSE Regularement Respirator Security Sponse Regularement Respirator Security Sponse Regularement Respirator Security Sponse Sponse Respirator Security Sponse Sp	Flammable . Yes No	If yes, under which conditions?				
Section 7 - HANDLING AND STORAGE	Means of Extinction					
None N/AP N/		ire - Fighting Procedures Upper Flammable Limit (% by volume)	Lower Flammable Limit (% by volume)			
Explosion Date - Semethivity to Impact NO NO Explosion Date - Semethivity to Impact NO	None	N/AP				
Oxides of Carbon MPPA NONE SECTION 6 - ACCIDENTAL RELEASE MEASURES Leak and Spill Procedures Large spill: dike with absorbent, collect in drum, then dispose. Rinse with water and let dry. SECTION 7 - HANDLING AND STORAGE Hundling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits	Autoignition Temperature (°C) None					
SECTION 6 - ACCIDENTAL RELEASE MEASURES Leak and Spill Procedures Large spill: dike with absorbent, collect in drum, then dispose. Rinse with water and let dry. SECTION 7 - HANDLING AND STORAGE Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV	Hazardous Combustion Products Oxides of Carbon					
Large spill: dike with absorbent, collect in drum, then dispose. Rinse with water and let dry. SECTION 7 - HANDLING AND STORAGE Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment I checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	[NFPA]					
SECTION 7 - HANDLING AND STORAGE Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV	SECTION 6 - ACCIDENTAL	L RELEASE MEASURES				
SECTION 7 - HANDLING AND STORAGE Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Cloves Respirator Fersonal Protective Equipment I checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	•					
Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Large spill: dike with absorbent, co	ollect in drum, then dispose. Rinse	with water and let dry.			
Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.						
Handling Procedures and Equipment Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, piease specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.						
Normal handling procedures, avoid skin and eye contact. Storage Requirements Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV	SECTION 7 - HANDLING A	ND STORAGE				
Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Handling Procedures and Equipment					
Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Normal handling procedures, avoi	d skin and eye contact.				
Store in well ventilated area. Recommended temperature 15°C SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.						
SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other if checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.						
SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION Exposure Limits N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.						
Exposure Limits . N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment . Gloves Respirator Eye Footwear Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Otens in well worthered area. Door	Store in well ventilated area. Recommended temperature 15°C				
Exposure Limits . N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment . Gloves Respirator Eye Footwear Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Store in well ventilated area. Reco	onlinended temperature 15 C				
Exposure Limits . N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment . Gloves Respirator Eye Footwear Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Store in well ventilated area. Reco	ommended temperature 15 C				
N/AV ACGIH TLV OSHA PEL Other (specify) Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Other Gloves Respirator Eye Footwear Othing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.			OTECTION			
Specific Engineering Controls (such as ventilation enclosed process) Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	SECTION 8 - EXPOSURE (OTECTION			
Normal ventilation Personal Protective Equipment Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	SECTION 8 - EXPOSURE (Exposure Limits	CONTROL / PERSONAL PRO				
Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	SECTION 8 - EXPOSURE (Exposure Limits . N/AV	CONTROL / PERSONAL PRO				
Gloves Respirator Eye Footwear Clothing Other If checked, please specify type Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	SECTION 8 - EXPOSURE (Exposure Limits . N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclored)	CONTROL / PERSONAL PRO				
Neoprene Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Exposure Limits . N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclor Normal ventilation	CONTROL / PERSONAL PRO				
Minimum - NIOSH Approved, organic vapour cartridges for overexposures Chemical splash goggles.	Exposure Limits . N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclor Normal ventilation Personal Protective Equipment . Gloves Respirator	CONTROL / PERSONAL PRO OSHA PEL Sed process)	Other (specify)			
	Exposure Limits . N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclor Normal ventilation Personal Protective Equipment . Gloves Respirator If checked, please specify type	CONTROL / PERSONAL PRO OSHA PEL Sed process)	Other (specify)			
Impervious	Exposure Limits . N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclo Normal ventilation Personal Protective Equipment . Gloves Respirator If checked, please specify type Neoprene	CONTROL / PERSONAL PRO OSHA PEL Sed process) Eye Footwear	Other (specify)			
	Exposure Limits N/AV ACGIH TLV Specific Engineering Controls (such as ventilation enclor Normal ventilation Personal Protective Equipment Gloves Respirator If checked, please specify type Neoprene Minimum - NIOSH Approved, orgatic Chemical splash goggles.	CONTROL / PERSONAL PRO OSHA PEL Sed process) Eye Footwear	Other (specify)			

Product	Identifier	WOOD SEAL	AND FINISH
FIOUUCL	luentillei	WOOD SEAL	AIND FIINIOF

page 3/4

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Privsical State		Odour Threshold (ppm) N/AV
Specific Gravity 1.035	Vapour Density (air = 1) < 1	Vapour Pressure (mmHg) 17 mmHg
Evaporation Rate > 1	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C
PH	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%

SECTION 10 - STABILITY AND REACTIVITY

Chemical	Stability			If no, under which conditions?
	Yes	Ø	No	
	1 69	٧_	INU	
Incompati	bility with Other Substances			If yes, which ones?
	Yes	Ø	No	Strong oxidizing agents
	1 53	_	INU	
Reactivity	, and under what conditions?			
None				
. 10110				
Hazardou	s Decomposition Products			
None				
INOLIG				

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure				
nhalation, eye, skin contact may cause irritation				
Ingestion may cause gastrointestinal irritation.				
Effects of Chronic Exposure				
Prolonged or repeated exposue may cause skin drying.				
Irritancy of Product				
contact with eyes / skin				
Skin Sensitization	Respiratory Sensitization			
N/AV				
Carcinogenicity -IARC	Carcinogenicity - ACGIH			
No	No			
Reproductive Toxicity	Teratogenicity			
N/A	N/A			
Embryotoxicity	Mutagenicity			
	N/A			
Name of Synergistic Products / Effects				
N/A				

Product Identifier WOOD SEAL AND	FINISH	Page 4/4
SECTION 12 - ECOLOGICAL IN	IFORMATION	
Aquatic Toxicity Molibity= N/A Pers	sistence= N/A	Bioaccumulative = N/A
	material is released direc	condary waste treatment microbial respiration. When the tly or indirectly into the environment is not expected a DD5 (G Oxygen (ML) = 0.14
Acute Aquatic effects Data: 24 hrs LC $_{50}$ 96 hrs LC $_{50}$ (Blue Gill Sunfish) mg/L $$ 71	, , ,	g/L
SECTION 13 - DISPOSAL CONS	SIDERATIONS	
Waste Disposal According to local, provincial and federal	government requirements	3
SECTION 14 - TRANSPORT INF	ORMATION	
Special Shipping Information:		
Normal procedures. Keep from freezing.		PIN
TDG: N/AP	[DOT]	
[IMO]	[ICAO]	
SECTION 15 - REGULATORY IN	IFORMATION	
[WHMIS Classification] Class D Div 2 Materials Causing Effects	OtherT([OSHA]	
[SERA]	[TSCA]	
	has been classified in accordan	
SECTION 16 - OTHER INFORMA		ntains all of the information required by CPR
Notice to Reader:	ATTON TO THE PART OF THE PART	
nor any of its subsidiaries assumes any herein. Final determination of suitabilit unknown hazards and should be used w	liability whatsoever for the ty of any material is the so	accurate. However, neither the above named supplier accuracy or completeness of the information contained le responsibility of the user. All materials may present ain hazards are described herein, we cannot guarantee zards that exist.